

## MATERIAL SAFETY DATA SHEET (MSDS)

### COMPANY DETAILS

<b>Name</b>	Ad-Tek Pty Ltd.
<b>Address</b>	12 Frankston Gardens Drive Carrum Downs VIC 3201 Australia
<b>Telephone</b>	+ 613 9782 3233
<b>Facsimile</b>	+ 613 9782 3244

### IDENTIFICATION

<b>Product Name</b>	EVENCURE XDS	<b>U.N. Number</b>	N/A
<b>Shipping Name</b>	N/A	<b>Dangerous Goods Class</b>	N/A
<b>Subsidiary Risk</b>	N/A	<b>Hazchem Code</b>	N/A
<b>Poisons Schedule</b>	5	<b>Packaging Group</b>	N/A
<b>Chemical Description</b>	Emulsion of resin and low aromatic solvent in water	<b>Use</b>	Concrete curing compound

### PHYSICAL DESCRIPTION / PROPERTIES

<b>Appearance</b>	Milky homogeneous liquid	<b>Flammability Limit (%)</b>	See Fire/ or with red fugitive dye Explosion Hazard
<b>Solubility in water (g/l)</b>	Emulsifies	<b>In organic solvents</b>	Part Soluble
<b>Boiling Point</b>	100-196°C	<b>Vapour Pressure @25°C</b>	NAS
<b>pH</b>	7	<b>Relative Density</b>	0.98
<b>Volatiles (%)</b>	10% hydrocarbon, 70% water	<b>Shelf Life</b>	12 months
<b>Flash Point (°C)</b>	98°C	<b>Other properties</b>	NAS

## INGREDIENTS

CHEMICAL ENTITY	CAS NO.	PROPORTION %
Hydrocarbon liquid (Low Aromatic White Spirit)	64742-82-1	Low approximately 10% WW
Hydrocarbon resin	68131-77-1	20-40%

Due to composition or concentration, all other ingredients exempted from HN and MRC Standard for Uniform Scheduling of Drugs and Poisons and TLV-Worksafe Australia.

## HEALTH HAZARD INFORMATION

HEALTH EFFECTS: Acute	
Swallowed	Slight irritant
Eye	Moderate irritant
Skin	Slight skin irritant
Inhaled	Irritant, causes dizziness, loss of consciousness

## FIRST AID

Swallowed	Do not induce vomiting. Give glass of water. Contact a doctor or Poisons Information Centre
Eye	Remove contact lenses. While holding eyes open gently flush with water for 15 minutes. Promptly obtain medical aid
Skin	Remove contaminated clothes. Wash before re-use. Wash contaminated skin well with soap and water
Inhaled	Remove to fresh air. Avoid becoming a casualty. Apply artificial respiration if breathing stopped. Seek medical aid
First Aid Facility	Ensure availability of clean water for eye/skin wash
Advice to Doctor	Treat symptomatically

## PRECAUTIONS FOR USE

<b>Exposure Standards</b>	See ingredients, page 1.
<b>Engineering Controls</b>	
<b>Ventilation</b>	Using non-ignitive equipment assure positive ventilation or suitable breathing equipment, <i>for example</i> , 3M Model 8712, to maintain vapour levels below TLV-TWA
<b>Personal Protection</b>	Gloves Long Impervious: YES Overalls: YES Eye Protection: YES
<b>Flammability</b>	Flashpoint 98°C

## SAFE HANDLING INFORMATION

<b>Storage and Transport</b>	Avoid heat, flames, oxidising agents
<b>Spills</b>	Wear appropriate personal protection and ensure adequate ventilation. Sweep up first: YES Wash down with detergent/water YES Absorb in dry inert material: YES
<b>Disposal</b>	<i>Observe all Federal, State and Local regulations.</i> Landfill: YES
<b>Fire/Explosion Hazard</b>	Explosion Limit - upper : lower NAS Dust explosion hazard: N/A Hazardous decomposition products: NAS Hazardous polymerisation products / reaction: Unlikely Extinguishing media: Foam CO <sub>2</sub> and Dry chemicals Firefighters should wear self contained breathing apparatus in enclosed areas.

## CONTACT POINTS

<b>ORGANISATION</b>	<b>LOCATION</b>	<b>TELEPHONE</b>
Ad-Tek Pty. Ltd.	12 Frankston Gardens Drive CARRUM DOWNS. Vic 3201	(03) 9782 3233 - Business Hours (03) 5998 7711 - After Hours 0417 346 280 - All Hours

*All information contained in this Data Sheet is as accurate and up to date as possible.  
No warranty expressed or implied is made as to its accuracy, reliability or completeness.*